SAFETY DATA SHEET



1. Identification

Product identifier BLACKHAWK™ PRECAST RELEASE 50

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive

Jackson, MS 39232

1-800-222-7122

1-877-982-7667

USA

After hours telephone

number

Normal work hours

telephone number

Website www.ergonarmor.com

E-mail sds@ergon.com

Emergency 24-hour telephone number **Information on**

operation hours

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

8:00 a.m. to 5:00 p.m.

2. Hazard(s) identification

Physical hazards Flammable liquids Category 4 Germ cell mutagenicity **Health hazards** Category 1B Carcinogenicity Category 1B

Specific target organ toxicity, repeated

exposure

Aspiration hazard

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May be fatal if swallowed and enters airways. Combustible liquid. May cause genetic defects.

Causes damage to organs (central nervous system) through prolonged or repeated exposure.

Category 1

Category 1 (central nervous system)

May cause cancer.

Precautionary statement

Obtain special instructions before use. Do not breathe dust/fume/gas/mist/vapors/spray. Wash **Prevention**

> thoroughly after handling. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not eat,

drink or smoke when using this product. Wear protective gloves/eye protection/face

protection.

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF Response

exposed or concerned: Get medical advice/attention. In case of fire: Use appropriate media for

extinction. Wash hands after handling. Get medical advice/attention if you feel unwell.

Store locked up. Store in a well-ventilated place. Keep cool. Storage

Material name: BLACKHAWK™ PRECAST RELEASE 50

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
STODDARD SOLVENT		8052-41-3	> 75
Other components below reportable levels			25

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. For

breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.

Wash off with soap and water. Take off immediately all contaminated clothing. Wash clothing Skin contact

separately before reuse. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and

persists.

Ingestion Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting

occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Get medical attention immediately.

Most important symptoms/effects, acute

and delayed

Direct contact with eyes may cause temporary irritation. Irritating to mouth, throat, and stomach. Direct contact with skin may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Oxygen, if needed. Keep victim warm. Keep victim under observation.

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Material name: BLACKHAWK™ PRECAST RELEASE 50

2/8 6041 Version #: 03 Revision date: 05-09-2025 Issue date: 12-01-2020

7. Handling and storage

Precautions for safe handling Keep away from sources of ignition - No smoking. Do not handle, store or open near an open

flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only in area provided with appropriate exhaust ventilation. All equipment used when handling the product must be grounded. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not get this material on clothing. Avoid prolonged exposure. Wear personal protective equipment. Observe good industrial hygiene practices. Wash

thoroughly after handling. Avoid release to the environment.

Conditions for safe storage,

including any incompatibilities Store locked up. Keep away from heat and sources of ignition. Store in a well-ventilated place.

Store in a closed container away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Components **Type** STODDARD SOLVENT (CAS PEL 2900 mg/m3

8052-41-3)

500 ppm

US. ACGIH Threshold Limit Values (TLV)

Components Value Type STODDARD SOLVENT (CAS 100 ppm TWA

8052-41-3)

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended **Components Value** Type

STODDARD SOLVENT (CAS **IDLH** 20000 mg/m3

8052-41-3)

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Type Value

STODDARD SOLVENT (CAS Ceiling 1800 mg/m3

TWA

8052-41-3)

350 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Ensure adequate ventilation, especially in confined

areas.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

considerations

Hand protection Wear protective gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Clear, colorless liquid. **Appearance**

Physical state Liquid. **Form** Liquid. Color Colorless.

Odor Hydrocarbon-like.

Material name: BLACKHAWK™ PRECAST RELEASE 50

Odor threshold Not available. Not available. pН Melting point/freezing point Not available.

Initial boiling point and

boiling range

212 °F (100 °C) estimated

Flash point 153.0 °F (67.2 °C)

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Explosive limit - lower

0.9 % estimated

(%)

Explosive limit - upper

(%)

6 % estimated

Not available. Vapor pressure Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available. (n-octanol/water)

Auto-ignition temperature 450 °F (232.22 °C) estimated

Decomposition temperature Not available. Viscosity Not available.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

irritation

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May be fatal if swallowed and enters airways.

Skin contact Prolonged skin contact may cause temporary irritation. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May be harmful if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics Exposure may cause temporary irritation, redness, or discomfort. Direct contact with skin or

eyes may cause temporary irritation. Irritating to mouth, throat, and stomach.

Information on toxicological effects

Acute toxicity Not available.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity May cause genetic defects.

Material name: BLACKHAWK™ PRECAST RELEASE 50

SDS US

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

STODDARD SOLVENT (CAS 8052-41-3) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not available. Specific target organ toxicity Not classified.

single exposure

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the Hazardous waste code

waste disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container

is emptied.

14. Transport information

DOT

UN1268 **UN number**

UN proper shipping name Petroleum distillates, n.o.s. or Petroleum products, n.o.s. (STODDARD SOLVENT)

Transport hazard class(es)

3 **Subsidiary hazard** 3 Label(s) Packing group III**Environmental hazards**

Marine pollutant

No. Special precautions for Not assigned.

user

144, B1, IB3, T4, TP1, TP29 Special provisions

Packaging exceptions 150 Packaging non bulk 203 Packaging bulk 242

IATA

UN1268 **UN number**

UN proper shipping name Petroleum products, n.o.s.

6041 Version #: 03 Revision date: 05-09-2025 Issue date: 12-01-2020

Transport hazard class(es)

Class 3
Subsidiary hazard Packing group III
Environmental hazards No.
ERG Code 3L

Special precautions for Not assigned.

user

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1268

UN proper shipping name PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.

Transport hazard class(es)

Class 3
Subsidiary hazard Packing group III
Environmental hazards

Marine pollutantNo.EmSF-E, S-ESpecial precautions forNot assigned.

user

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

DOT



IATA; IMDG



15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Classified hazard

Flammable (gases, aerosols, liquids, or solids)

categories

Germ cell mutagenicity

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

Aspiration hazard

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 12-01-2020 **Revision date** 05-09-2025

Version # 03

NFPA ratings Health: 2

Flammability: 2 Instability: 0

6041 Version #: 03 Revision date: 05-09-2025 Issue date: 12-01-2020

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: BLACKHAWK™ PRECAST RELEASE 50

6041 Version #: 03 Revision date: 05-09-2025 Issue date: 12-01-2020 8 / 8